Amendments to the Claims

Please amend the claims as follows.

- 1. (Withdrawn) An input device for use with a system operable to process an electronic communication comprising:
- a function button operably associated with selecting a specific electronic communication function; and

an identification key operable to identify the input device in response to a user selecting the function button.

- 2. (Withdrawn) The device of Claim 1, further comprising memory operable to store the identification key.
- 3. (Withdrawn) The device of Claim 2, wherein the memory may be periodically updated to include a new identification key.
- 4. (Withdrawn) The device of Claim 1, wherein the identification key comprises a user password.
- 5. (Withdrawn) The device of Claim 1, wherein the electronic communication function comprises a send button.
- 6. (Withdrawn) The device of Claim 1, wherein the electronic communication function comprises a forward button.
 - 7. (Withdrawn) The device of Claim 1, further comprising a keyboard.
 - 8. (Withdrawn) The device of Claim 1, further comprising a pointing device.
- 9. (Withdrawn) The device of Claim 1, further comprising the function button operably associated with selecting an email function.

validating the identification key.

10. (Currently Amended) A method for providing an identifier for processing an electronic communication comprising:

receiving a request via an input device to process the electronic communication, the requested process selected from the group consisting of a forward request, a send request, a save request, a delete request, a reply request and a check request;

determining an identification key operable to identify associated with the input device, the identification key uniquely identifying the input device; and processing the electronic communication using the requesting process upon

11. (Original) The method of Claim 10, further comprising:

accessing a portion of memory to determine the identification key;

receiving the identification key from the input device; and

comparing the received identification key to a the stored identification key to

determine if the input is valid.

- 12. (Original) The method of Claim 10, further comprising: receiving the request via a port operably associated with the input device; receiving the identification key from the input device; and verifying the request and the identification key.
- 13. (Original) The method of Claim 10, further comprising:

 quarantining the electronic communication if the identification key is not valid;
 and

 notifying a user of the quarantined electronic communication.
 - 14. (Original) The method of Claim 10, further comprising: determining if the request originated from the input device; and processing the request if the input originated at the input device.

- 15. (Original) The method of Claim 10, further comprising:determining an identification key for the input device; andstoring the identification key within a memory associated with the input device.
- 16. (Original) The method of Claim 10, further comprising: determining an electronic communication process associated with the input device; and associating the function with one or more buttons associated with the input device.
- 17. (Original) The method of Claim 16, further comprising receiving an input from a user to select the one or more function buttons.
- 18. (Original) The method of Claim 10, further comprising displaying a function button within a user interface associated with the input device.
- 19. (Original) The method of Claim 10, further comprising associating an encrypted device identifier within the electronic communication upon processing the electronic communication.
- 20. (Withdrawn) A system operably associated with processing an electronic communication in the form of an email comprising:

a processor operable to process the email;

memory operably coupled to the processor; and

an input device operably coupled to the processor, the processor operable to
validate a user request via the input device to process an email.

21. (Withdrawn) The system of Claim 20, wherein the input device comprises a keyboard including a identification key operable to identify a user request via the keyboard to process the email.

5

- 22. (Withdrawn) The system of Claim 21, wherein the keyboard comprises memory operable to store the identification key.
- 23. (Withdrawn) The system of Claim 20, further comprising a pointing device including an identification key operable to identify a user request via the pointing device to process the email.
- 24. (Withdrawn) The system of Claim 20, further comprising a graphical user interface operable to display an email software program.

25. (Currently Amended) A method for processing an electronic communication in the form of email using a system comprising:

determining an input device operably coupled to the system;

determining an identification key operably associated with the input device, the identification key uniquely identifying the input device; and

processing an email upon receiving a valid request from the input device to either forward, send, save, delete, reply, or check the email.

- 26. (Original) The method of Claim 25, further comprising: determining a function button operably associated with the input device; and receiving an input to process the email via a user selecting the function button.
- 27. (Original) The method of Claim 25, further comprising: receiving an input from the input device to process the email; verifying the input device is valid; and processing the email based on the verification.
- 28. (Original) The method of Claim 27, further comprising processing the email using a function associated with the requested process upon the input device being valid.
- 29. (Original) The method of Claim 28, further comprising associating an encrypted identifier with the email.
- 30. (Original) The method of Claim 28, further comprising:
 quarantining the email upon the input device determining the input device is not valid; and
 notifying a user of the quarantined email.

31. (Original) An input device for use with a system operable to process an electronic communication comprising:

means for receiving a request via an input device to process an electronic communication;

means for determining an identification key operable to identify the input device; and

means for processing the email using the requesting process upon validating the identification key.

- 32. (Original) The input device of Claim 31, further comprising:

 means for accessing a portion of memory determine the identification key;

 means for receiving the identification key from the input device; and

 means for comparing the received identification key to a the stored identification
 key to determine if the input is valid.
 - 33. (Original) The method of Claim 31, further comprising:
 means for receiving a request via a port operably associated with the input device;
 means for receiving the identification key from the input device; and
 means for verifying the request and the identification key.

34. (Original) A medium including encoded logic for processing electronic communications comprising the logic operable to:

determine an input device operably coupled to the system;

determine an identification key operably associated with the input device, the identification key uniquely identifying the input device; and

process an electronic communication upon receiving a valid request from the input device to process the email.

35. (Original) The medium as recited in Claim 34, further comprising the logic operable to:

determine a function button operably associated with the input device; and receive an input to process the email via a user selecting the function button.

36. (Original) The medium as recited in Claim 35, further comprising the logic operable to:

receive an input from the input device to process the email; verify the input device is valid; and process the electronic communication based on the verification.

37. (Original) The medium as recited in Claim 35, further comprising the logic operable to process the electronic communication using a function associated with the requested process upon the input device being valid.